Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4316467	signal and transmission and wake up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:31
S2	250068	(signal and receiver) and transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 07:48
S3	5704	(signal and receiver) and transmission and wake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 07:48
S4	3872	(signal and receiver) and transmission and wake and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 07:49
S5	3872	(signal and receiver) and transmission and wake and configuration and receiv\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 07:49
S6	1811	(signal and receiver) and transmission and wake and configuration and receiv\$ and search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 07:50
S7	50	(signal and receiver) and transmission and wake and configuration and receiv\$ near search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 11:18
S8	1	(signal and receiver) and transmission and wake and (dual near configuration) and receiv\$ near search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 07:55
S9	1	(signal and receiver) same transmission same wake same configuration same receiv\$ near search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 11:19

S10	43	(signal and receiver) same transmission and wake and configuration and receiv\$ near search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 11:20
S11		(signal and receiver) same transmission same wake and configuration and receiv\$ near search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 11:20
S12	135	(signal and receiver) same transmission same configurationand wake and receiv\$ near search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 07:58
S13 ·	4	(signal and receiver) same transmission same configuration and wake and receiv\$ near search\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 15:54
S17	2	("6448892").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/23 07:54
S18	2	("6469621").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/22 15:58
S19	. 2	("5500637").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/22 15:58
S22	0	"receiv\$ first signal\$"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 07:58
S23	44 35	"receive first signal"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 07:59
S24	114	"receive first signal" near receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:08

S25	469	"receive first signal" same receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/23 08:08
S26	55	"receive first signal" same receiver same transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/23 08:10
S27	14	"receive first signal" near receiver same transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:56
S28	0	"receive first signal" near receiver same transmission and quiescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 14:59
S29	11529	synchronization and "first signal\$"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:00
S30	244	S29 and quiescent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:01
S31	161	S30 and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/27 15:03
S32	1	S30 and configuration and "optimum reception"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:03
S33	482884	S30 and configuration and optimum reception	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:07
S34	146385	S33 and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:04

Page 3

						
S35	8342	S34 and "first signal"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:05
S36	0	S35 and "configuration\$ are saved"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:05
S37	0	S35 and "configuration are saved"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:05
S38	590	S35 and saved	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:05
S39	482874	S30 and "different configuration" and optimum reception	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:17
S40	131	"super-regenerative receiver"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/27 15:17
S41	1	("0297334").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:32
S42	2	("4487156").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:03

S43	51	(("3670691") or ("4287676") or ("D038916") or ("4024832") or ("1415631") or ("2717572") or ("3090347") or ("2609629") or ("5103758") or ("2328811") or ("0497454") or ("1961527") or ("D280529") or ("D089073") or ("1874844") or ("2717572") or ("3756550") or ("4800662") or ("0992916") or ("3137269") or ("4487156") or ("2448611")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:23
S44	51	(("3670691") or ("4287676") or ("D038916") or ("4024832") or ("1415631") or ("2717572") or ("3090347") or ("2609629") or ("5103758") or ("2328811") or ("0497454") or ("1961527") or ("D280529") or ("D089073") or ("1874844") or ("2717572") or ("3756550") or ("4800662") or ("0992916") or ("3137269") or ("4487156") or ("2448611")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 13:44
S45	1	("4934304").PN.	USPAT	OR	OFF	2006/03/01 14:05
S46	21	(("3670691") or ("4287676") or ("D038916") or ("4024832") or ("1415631") or ("2717572") or ("3090347") or ("2609629") or ("5103758") or ("2328811") or ("0497454") or ("1961527") or ("D280529") or ("D089073") or ("1874844") or ("2717572") or ("3756550") or ("4800662") or ("0992916") or ("3137269") or ("4487156") or ("2448611")).PN.	USPAT	OR	OFF	2006/03/01 14:42
S47	64	(("3670691") or ("4287676") or ("D038916") or ("4024832") or ("1415631") or ("2717572") or ("3090347") or ("2609629") or ("5103758") or ("2328811") or ("0497454") or ("1961527") or ("D280529") or ("D089073") or ("1874844") or ("2717572") or ("3756550") or ("4800662") or ("0992916") or ("3137269") or ("4487156") or ("2448611")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 14:42

			,	•		
S48	13	(("3670691") or ("4287676") or ("D038916") or ("4024832") or ("1415631") or ("2717572") or ("3090347") or ("2609629") or ("5103758") or ("2328811") or ("0497454") or ("1961527") or ("D280529") or ("D089073") or ("1874844") or ("2717572") or ("3756550") or ("4800662") or ("0992916") or ("3137269") or ("4487156") or ("2448611")).PN.	USOCR	OR	OFF	2006/03/01 15:20
S49	0	("d280529").PN.	USOCR	OR	OFF	2006/03/01 15:20
S50	1	("d280529").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:44
S51	64	(("3670691") or ("4287676") or ("D038916") or ("4024832") or ("1415631") or ("2717572") or ("3090347") or ("2609629") or ("5103758") or ("2328811") or ("0497454") or ("1961527") or ("D280529") or ("D089073") or ("1874844") or ("2717572") or ("3756550") or ("4800662") or ("0992916") or ("3137269") or ("4487156") or ("2448611")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:48
S52	3	("3670691").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 15:49
S53	2	("4287676").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 16:13
S54	2	("d038916").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 16:15

S55	4	("4024832").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 16:15
S56	2999	receiver with ((wake\$1up or (wake adj up) or active or alert or (stand\$1by or (stand adj by))) near3 (mode or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:43
S57	1	receiver with ((optimum or best or better or excellent) near1 (recept\$3) with ((low or little or small or minute) and (quiescent or inactive or stand\$1by) and (current) and (consumption)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/16 14:44
S58	1	receiver with ((optimum or best or better or excellent) near1 (recept\$3) with ((low or little or small or minute) and (quiescent or inactive or stand\$1by) and (current)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:51
S59	1	receiver with ((optimum or best or better or excellent) near1 (recept\$3) same ((low or little or small or minute) and (quiescent or inactive or stand\$1by) and (current)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:52
S60	1	receiver with ((optimum or best or better or excellent) same (recept\$3) same ((low or little or small or minute) and (quiescent or inactive or stand\$1by) and (current)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:55
S61		receiver with ((optimum or best or better or excellent) same (recept\$3) same ((low or little or small or minute) same (quiescent or inactive or stand\$1by) same (current)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 14:58
S62	2	receiver same ((optimum or best or better or excellent) same (recept\$3) same ((low or little or small or minute) same (quiescent or inactive or stand\$1by) same (current)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:01

S63	2771	S56 and (@rlad<"20031119" or	US-PGPUB;	OR	ON	2006/03/16 15:00
303	2//1	@ad<"20031119")	USPAT; EPO; JPO; DERWENT; IBM_TDB	JK .	OH.	2555, 55, 10 15.00
S64	25001231	(@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:34
S65	3	receiver and ((optimum or best or better or excellent) same (recept\$3) same ((low or little or small or minute) same (quiescent or inactive or stand\$1by) same (current)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:32
S66	1	S64 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:01
S67		receiver same ((optimum or best or better or excellent) same (recept\$3) same ((low or little or small or minute) same (quiescent or inactive or stand\$1by) same (current)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:30
S68	3	receiver and ((optimum or best or better or excellent) same recept\$3 same (low or little or small or minute) same (quiescent or inactive or stand\$1by) same current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:33
S69	. 94	receiver and ((optimum or best or better or excellent) same recept\$3 same (low or little or small or minute) same current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:36
S70	84	S69 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:34
S71	33	receiver same ((optimum or best or better or excellent) same recept\$3 same (low or little or small or minute) same current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/16 15:37

Page 8

				<u> </u>		
S72	26	S64 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 15:59
S73	2	("4633515").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:49
S74	488	(search\$3 or look\$3 or scan\$3) near3 signal\$3 same (unsuccess\$3 or fail\$3) same (switch\$3 or chang\$3 or select\$3 or choos\$3 or pick\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:42
S75	444	S74 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:13
S76	.2	S75 and S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 16:11
S77	55847	receiver with signal\$3 with transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:01
S78	51467	S77 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:48
S79	40762	S78 and (data\$3 or modulat\$5 or wake\$1up or (wake adj up) or active or alert or synchron\$5 or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:05
S80	4339	S79 and (quiescent or inactiv\$3 or stand\$1by)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:06
S81	535	S80 and (no adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:06

				•		
S82	530	S81 and (switch\$4 or pick\$3 or select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:09
S83	2999	receiver with ((wake\$1up or (wake adj up) or active or alert or (stand\$1by or (stand adj by))) near3 (mode or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:47
S84	. 2771	S83 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:12
S85	183	S84 and (receiver with ((quiescent or inactive) near3 (mode or state)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:17
S86	5	S85 and (tire or (air near pressure))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:20
S87	63	S85 and (tire or (air pressure) or car or automobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:45
S88	2	("5351052").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/17 09:27
S89	85398	(power or battery) near3 (sav\$3 or conserv\$6 or preserv\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:47
S90	821	S83 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:48
S91	268	S83 same S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:48

Page 10

S92	252	S91 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 09:48
S93	419226	receiv\$5 and signal\$3 and us\$3 and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 09:01
S94	67040	S93 and (@rlad<"20031119" and @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 09:05
S95	131	S94 and vehicul\$3 and automo\$6 and car and auto and truck	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 09:05
S96	79259	receiv\$5 with signal\$3 with us\$3 with receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 09:05
S97	13426	S96 and (@rlad<"20031119" and @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 09:05
S98	59	S97 and (vehicul\$3 and automo\$6 and car and auto and truck)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 09:08
S99	3	("6904101").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 09:25
S10 0	2	("5552789").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 09:32
S10 1	2	("4940964").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 09:52

S10 2	2	("20030164774").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 09:54
S10 3	2	("6112587").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/20 11:27
S10 4	10934	receiver same (quiescent or inactive or sleep or stand\$1by)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 11:30
S10 5	10002	S104 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 11:30
S10 6	631	S104 same (search\$5 or look\$5 or find\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 11:36
S10 7	583	S106 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 11:37
S10 8	119	S106 and (configurat\$5 with transm\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 11:39
S10 9	116	S108 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:52
S11 0	0	455/343.2.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:53
S11 1	0	455/343.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:53

S11 2	2	455/343.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:54
S11 3	0	455/343.200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:55
S11 4	2	455/343.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 13:55
S11 5	203	455/343.2.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:14
S11 6	0	S115 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:06
S11 7	0	S115 and S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:06
S11 8	159	S115 and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:23
S11 9	34	S118 and (@rlad<"20031119" and @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:26
S12 0	20	S119 and (inact\$6 or quiesc\$5 or wake\$1up or stand\$by)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 14:27

			T.:-	- I : -	1	· · · · · · · · · · · · · · · · · · ·
S12 1	15	("4219851" "4328587" "4410789" "4555788" "4724545" "4771283" "4885571" "4961073" "5054052" "5181227" "5194860" "5245346" "5379453" "5507040" "5541976").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:03
S12 2	205	455/343.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:39
S12 3	190	S122 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:39
S12 4	157	S123 and receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:39
S12 5	152	S124 and time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:40
S12 6		S125 and (inact\$6 or quiesc\$5 or wake\$1up or stand\$by)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:41
S12 7	80	S126 and signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:41
S12 8	80	S127 and (transmis\$5 or data\$3 or frequency or modulat\$5 or synchr\$6 or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:50
S12 9	1	S128 and (pre\$1set adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 09:50

						
S13 0	15	("4219851" "4328587" "4410789" "4555788" "4724545" "4771283" "4885571" "4961073" "5054052" "5181227" "5194860" "5245346" "5379453" "5507040" "5541976").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:03
S13 1	14	S130 and time	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:04
S13 2	218291	"14" and pre\$1set	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:04
S13 3		S131 and pre\$1set	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:06
S13 4	813	((active adn inactive)same (wak\$3 with time))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:07
S13 5	711	S134 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:08
S13 6	385	S135 and (receiver or "455"/\$. ccls.)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:10
S13 7	0	S136 and "455"".""343".S123.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 10:10
S13 8	5	S136 and 455/343.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:23
S13 9	1	"20040077383"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 13:25
S14 0	3	"6760578"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:05
S14 1	51	"5790946"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:06
S14 2	2	("5790946").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 14:06

						· · · · · · · · · · · · · · · · · · ·
S14 3	23	S136 and 455/343\$3.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/22 14:23
S14 4	78	((active and inactive) same (wak\$3 with time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 13:18
S14 5	69	S144 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 13:57
S14 6	28	S145 and (receiver or "455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 07:53
S14 7	. 1	((active and inactive) same (wak\$3 with pre\$1set with time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 13:19
S14 8	78	((active and inactive) same (wak\$3 with time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 13:57
S14 9	69	S148 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 13:57
S15 0	24305	((active and inactive) same (wak\$3 with (pre\$1set or pre\$1determ\$5) time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 13:58
S15 1	22345	S150 and (@rlad<"20031119" or @ad<"20031119")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 13:58
S15 2	5350	S151 and (receiver or "455".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 14:05

S15 4	933	S152 and (receiver with signal with time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 14:07
S15 5	8	S154 and (receiver with signal with time with pre)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 14:08
S15 6	182	S154 and (receiver with signal with time with (pre\$1set or pre\$1determin\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/27 14:08
S15 7	2	("6330454").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 08:18
S15 8	3	("9735885").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 08:18
S15 9	3	("9735885").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 08:21
S16 0	2	("6760578").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 08:42
S16 1	17	("4219851" "4328587" "4410789" "4555788" "4724545" "4771283" "4885571" "4961073" "5054052" "5181227" "5194860" "5245346" "5379453" "5507040" "5541976").PN. OR ("6760578"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:43
S16 2	53	"5790946"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:43
S16 3	2	"09129258"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:44

S16 4	2	"08092147"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:44
S16 5	2	("5790946").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 11:34
S16 6	2	("20050007251").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 11:34
S16 8	2	("5790946").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 10:24
S16 9	44	("4219851" "4328587" "4410789" "4555788" "4724545" "4771283" "4885571" "4961073" "5054052" "5181227" "5194860" "5245346" "5379453" "5507040" "5541976").PN. OR ("5790946"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 11:03
S17 0	171	(keyless adj entry adj system) and (tire adj pressure)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 11:06
S17 1	113	S170 and (@rlad<"20021119" or @ad<"20021119" or @ptad<"20021119")	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 16:42
S17 2	23	S171 and (quiescent or inactive or sleep or stand\$1by) and (active or awake)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 11:23
S17 3	171	(keyless adj entry adj system) and (tire adj pressure)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 16:39
S17 4	113	S173 and (@rlad<"20021119" or @ad<"20021119" or @ptad<"20021119")	US-PGPUB; USPAT; USOCR	OR .	ON	2006/09/12 16:39
S17 5	23	S174 and (quiescent or inactive or sleep or stand\$1by) and (active or awake)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 16:39
S17 6	23	S175 and (chang\$3 or switch\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/12 16:39

S17 7	0	S174 and ((search\$3 or look\$3 or scan\$3) near3 signal\$3 same (unsuccess\$3 or fail\$3) same (switch\$3 or chang\$3 or select\$3 or choos\$3 or pick\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:55
S17 8	5	S174 and (first adj device) and (second adj device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:46
S17 9	2	("6053038").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/12 16:46
S18 0	17	S174 and ((search\$3 or look\$3 or scan\$3) near3 signal\$3 and (unsuccess\$3 or fail\$3) and (switch\$3 or chang\$3 or select\$3 or choos\$3 or pick\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/12 16:56
S18 1	9	(("6904101") or ("6448892") or ("6469621") or ("20020149477")). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 13:38
S18 2	6	"6885282"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/29 13:39
S18 3	6	10/079665	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/29 13:39